

IN THE CLAIMS:

1. (original) A rechargeable lithium battery including a negative electrode made by depositing a noncrystalline thin film composed entirely or mainly of silicon on a current collector, a positive electrode and a nonaqueous electrolyte, characterized in that said nonaqueous electrolyte contains carbon dioxide dissolved therein.

2. (original) The rechargeable lithium battery as recited in claim 1, characterized in that the amount of carbon dioxide dissolved in said nonaqueous electrolyte is at least 0.001 weight %.

3. (original) The rechargeable lithium battery as recited in claim 1, characterized in that the amount of carbon dioxide dissolved in said nonaqueous electrolyte is at least 0.01 weight %.

4. (original) The rechargeable lithium battery as recited in claim 1, characterized in that the amount of carbon dioxide dissolved in said nonaqueous electrolyte is at least 0.1 weight %.

5. (currently amended) The rechargeable lithium battery as recited in ~~any one of claims 1-4~~ claim 1, characterized in that a surface of said current collector has an arithmetic mean roughness Ra of at least 0.1 μm .

6. (currently amended) The rechargeable lithium battery as recited in ~~any one of claims 1-5~~ claim 1, characterized in that said current collector comprises a heat-resisting copper alloy foil.

7. (original) The rechargeable lithium battery as recited in claim 6, characterized in that said current collector comprises a heat-resisting copper alloy foil having an electrolytic copper or copper alloy surface layer.

8. (currently amended) The rechargeable lithium battery as recited in ~~any one of claims 1-7~~ claim 1, characterized in that said noncrystalline thin film composed mainly of silicon contains at least one of cobalt and iron.

9. (currently amended) The rechargeable lithium battery as recited in ~~any one of claims 1-8~~ claim 1, characterized in that

said nonaqueous electrolyte contains a fluorine-containing compound or LiClO_4 .

10. (original) The rechargeable lithium battery as recited in claim 9, characterized in that said fluorine-containing compound is LiXF_y (wherein X is P, As, Sb, B, Bi, Al, Ga or In; y is 6 if X is P, As or Sb and y is 4 if X is B, Bi, Al, Ga or In); $\text{LiN}(\text{C}_m\text{F}_{2m+1}\text{SO}_2)(\text{C}_n\text{F}_{2n+1}\text{SO}_2)$ (wherein m and n are independently integers of 1 - 4); or a fluorine-containing lithium borate derivative.

11. (original) The rechargeable lithium battery as recited in claim 10, characterized in that said fluorine-containing lithium borate derivative is $\text{LiBF}_2(\text{O}_x)$.

12. (currently amended) The rechargeable lithium battery as recited in ~~any one of claims 1 - 11~~ claim 1, characterized in that said nonaqueous electrolyte contains cyclic carbonate and chain carbonate.

13. (currently amended) The rechargeable lithium battery as recited in ~~any one of claims 1 - 11~~ claim 1, characterized in that said nonaqueous electrolyte contains a mixed solvent of cyclic

carbonate and chain carbonate.

14. (currently amended) The rechargeable lithium battery as recited in ~~claim 12 or 13~~ claim 12, characterized in that at least one of ethylene carbonate and propylene carbonate is contained as said cyclic carbonate.

15. (currently amended) The rechargeable lithium battery as recited in ~~any one of claims 12 -- 14~~ claim 12, characterized in that diethyl carbonate is contained as said chain carbonate.

16. (currently amended) The rechargeable lithium battery as recited in ~~any one of claims 12 -- 15~~ claim 12, characterized in that cyclic carbonate having an unsaturated carbon bond and the other cyclic carbonate are contained as said cyclic carbonate.

17. (original) The rechargeable lithium battery as recited in claim 16, characterized in that said cyclic carbonate having an unsaturated carbon bond is vinylene carbonate.

18. (currently amended) The rechargeable lithium battery as recited in ~~any one of claims 12 -- 17~~ claim 12, characterized in

that a content by volume of said cyclic carbonate (excluding the cyclic carbonate having an unsaturated carbon bond) does not exceed 70 %, based on the total volume of the cyclic carbonate (excluding the cyclic carbonate having an unsaturated carbon bond) and the chain carbonate.

19. (currently amended) The rechargeable lithium battery as recited in ~~any one of claims 12 - 17~~ claim 12, characterized in that a content by volume of said cyclic carbonate (excluding the cyclic carbonate having an unsaturated carbon bond) is 0.1 - 20 %, based on the total volume of the cyclic carbonate (excluding the cyclic carbonate having an unsaturated carbon bond) and the chain carbonate.

20. (currently amended) The rechargeable lithium battery as recited in ~~any one of claims 12 - 17~~ claim 12, characterized in that a content by volume of said cyclic carbonate (excluding the cyclic carbonate having an unsaturated carbon bond) is 50 - 70 %, based on the total volume of the cyclic carbonate (excluding the cyclic carbonate having an unsaturated carbon bond) and the chain carbonate.

21. (currently amended) The rechargeable lithium battery as recited in ~~any one of claims 16 -- 20~~ claim 16, characterized in that a content by weight of said cyclic carbonate having an unsaturated carbon bond is 0.1 - 10 %, based on the total weight of the cyclic carbonate (excluding the cyclic carbonate having an unsaturated carbon bond) and the chain carbonate.

22. (currently amended) The rechargeable lithium battery as recited in ~~any one of claims 1 -- 21~~ claim 1, characterized in that said noncrystalline thin film is formed by an evaporation process.

23. (original) A method for fabricating a rechargeable lithium battery including a negative electrode, a positive electrode and a nonaqueous electrolyte, characterized as comprising the steps of:

depositing a noncrystalline thin film composed entirely or mainly of silicon on a current collector to prepare said negative electrode;

dissolving carbon dioxide in said nonaqueous electrolyte; and
assembling a rechargeable lithium battery using said negative electrode, positive electrode and nonaqueous electrolyte.

24. (original) The method for fabricating a rechargeable

lithium battery as recited in claim 23, characterized in that the step of dissolving carbon dioxide in the nonaqueous electrolyte includes a step of blowing gaseous carbon dioxide into the nonaqueous electrolyte.

25. (currently amended) The method for fabricating a rechargeable lithium battery as recited in ~~claim 23 or 24~~ claim 23, characterized in that the step of assembling a rechargeable lithium battery includes a step of assembling a rechargeable lithium battery under the atmosphere including carbon dioxide.

26. (currently amended) The method for fabricating a rechargeable lithium battery as recited in ~~any one of claims 23-25~~ claim 23, characterized in that said noncrystalline thin film is deposited by supplying a raw material from a vapor phase.

27. (original) The method for fabricating a rechargeable lithium battery as recited in claim 26, characterized in that said noncrystalline thin film is deposited by a sputtering, chemical vapor deposition or evaporation process.

28. (original) The method for fabricating a rechargeable

lithium battery as recited in claim 26, characterized in that said noncrystalline thin film is deposited by an evaporation process.